

CITY OF CHEVIOT
STATE OF OHIO

ORDINANCE NO. 20-23

TO AUTHORIZE THE SAFETY-SERVICE DIRECTOR TO ENTER INTO A CONTRACT TO PURCHASE A 2020 FORD F-450 4X4 AMBULANCE; AND TO DECLARE AN EMERGENCY.

WHEREAS, the Safety-Service Director and Fire Chief have determined that the City needs a new life squad for the City's Fire Department, and have recommended the purchase of a new life squad for the City, namely a 2020 Ford F-450 4x4 Ambulance, through Ohio Cooperative Purchasing Program; and

WHEREAS, 911 Fleet and Fire Equipment is an authorized dealer of the supplier Wheeled Coach Industries under the state's Cooperative Purchasing Program; and

WHEREAS, 911 Fleet and Fire Equipment has provided a quote to the City for the purchase of a 2020 Ford F-450 4x4 Ambulance at a total price of \$198,945.00; and

WHEREAS, 911 Fleet and Fire Equipment has indicated that there is only a limited number of this type of vehicle available for purchase, and it will only hold the quote open until September 26, 2020 before releasing for other municipalities to purchase; and

WHEREAS, the Safety-Service Director has recommended the purchase of the ambulance at the quoted price and pursuant to the terms of the Sales Agreement, which is attached hereto as Exhibit A and incorporated herein; and

WHEREAS, this Council agrees with the Safety-Service Director's recommendation; and

WHEREAS, pursuant to Cheviot Code of Ordinances, Section 35.63, this purchase is not required to be competitively bid.


NOW, THEREFORE, BE IT ORDAINED BY THE COUNCIL OF THE CITY OF CHEVIOT, STATE OF OHIO, TWO-THIRDS OF ALL MEMBERS THEREOF CONCURRING, THAT:

Section 1. The Safety-Service Director is hereby authorized and directed to enter into a Sales Agreement with 911 Fleet and Fire Equipment for the purchase of a 2020 Ford F-450 4x4 Ambulance for a total price not to exceed \$198,945.00, a copy of which is attached hereto as Exhibit A and incorporated herein. *The authority to purchase the ambulance is conditioned upon the approval of the State of Ohio for the use of CARES Act funding for such a purchase.*

Section 2. The Safety-Service Director is hereby authorized to sign any necessary documents to complete the purchase as described herein.

Section 3. This ordinance shall be an emergency measure for the health, safety, and welfare of the citizens of Cheviot and shall take effect immediately. The emergency is necessary in order to allow the City to enter into the sales contract before the life squad is purchased by another municipality, as there is only a limited number of vehicles available and to allow the Safety-Service Director to complete the purchase at the earliest possible time.

MJW
9-24-20



Mark G. Waters
President of Council

9.24.2020

Date passed

Samuel D. Keller
Mayor

Date approved

Attest:

Approved as to form:


Jenny M. Eilermann
Clerk of Council

Kimberlee Erdman Rohr
Law Director

CERTIFICATE OF PUBLICATION

I, Jenny M. Eilermann, Clerk of the Council of the City of Cheviot, Ohio, hereby certify that the foregoing ordinance, or a succinct summary, was published in the *Western Hills Press*, a newspaper of general circulation in the City of Cheviot, Ohio, in accordance with Section 731.21 of the Ohio Revised Code, on the following dates:

- 1) 9/30, 2020, and
- 2) 10/7, 2020.


Jenny M. Eilermann
Clerk of Council

EXHIBIT A



911 Fleet & Fire Equipment
11 Lendale Drive, Florence KY 41042
877-605-2378 • 859-371-0131 Fax

SOLD & TITLED TO: 09/21/2020

<small>DATE</small>		
City of Cheviot Fire		
<small>PURCHASER'S NAME</small>		
3814 Harrison Avenue		
<small>STREET ADDRESS</small>		
Cheviot	Ohio	45211
<small>CITY</small>	<small>STATE</small>	<small>ZIP</small>
Chief Robert Klein	(513) 661-2700	
<small>CONTACT</small>	<small>BUS. PHONE</small>	

PLEASE ENTER MY ORDER FOR THE FOLLOWING VEHICLE		YEAR 2020	MAKE Ford
MODEL OR SERIES	F -450, 4x4	BODY TYPE	Ambulance
COLOR	White	TRIM	V.I.N.
TO BE DELIVERED ON OR ABOUT		SALESMAN	STOCK NO.
ASAP		Mitsch	513723

CASH PRICE OF UNIT	Ford 2020 F-450, 4x4, XLT, 6.7L, 193"WB	\$205,745.00
F.O.B. FACTORY OR DESINATION:		
FORD GPC AMOUNT: (\$4,800.00)	GPC Number: QV705	(\$4,800.00)
Wheeled Coach/911 COVID Discount		(\$2,000.00)
Pricing includes Inverter, Styker Floor Plate, and Graphics		
Cheviot FD to Deliver		

MSO/TITLE TO BE FILLED OUT AS FOLLOWS:	SEND MSO/TITLE TO:
PHONE:	

<u>USED VEHICLE TRADE-IN AND /OR OTHER CREDITS</u>		CASH SALE PRICE OF DESCRIBED MOTOR VEHICLE:	
MAKE OF TRADE-IN		\$198,945.00	
YEAR MODEL BODY		STATE AND LOCAL TAXES	
V.I.N.		LICENSE, LICENSE TRANSFER, TITLE REGISTRATION FEE	
BALANCE OWED TO:		1. TOTAL PRICE OF THE UNIT	
ADDRESS		2. DOWN PAYMENT: Consisting of \$ _____ In cash And/or \$ \$0.00 Net trade in Allowance on trade-in; see statement in Left hand column for details.	
USED TRADE-IN ALLOWANCE			
BALANCE OWED ON TRADE-IN			
NET ALLOWANCE ON USED TRADE-IN	\$0.00		
CREDITS			
DOWN PAYMENT (Trans. to Right Col.)	\$0.00	→ \$0.00	
		3. UNPAID CASH BALANCE DUE ON DELIVERY (difference between items 1 and 2)	
		\$198,945.00	

ALL WARRANTIES, IF ANY, BY A MANUFACTURER OR SUPPLIER OTHER THAN 911 FLEET & FIRE ARE THEIRS, NOT 911 FLEET & FIRE, AND ONLY SUCH MANUFACTURER OR SUPPLIER SHALL BE LIABLE FOR PERFORMANCE UNDER SUCH WARRANTIES, UNLESS 911 FLEET & FIRE FURNISHES BUYER WITH A SEPARATE WRITTEN WARRANTY OR SERVICE CONTRACT MADE BY 911 FLEET & FIRE ON ITS BEHALF, 911 FLEET & FIRE HEREBY DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY IMPLIED WARRANTIES OF MERCHANTABILITY OF FITNESS FOR A PARTICULAR PURPOSE: (A) ON ALL GOODS AND SERVICES SOLD BY 911 FLEET & FIRE, AND (B) ON ALL USED VEHICLES WHICH ARE HEREBY SOLD "AS IS - NOT EXPRESSLY WARRANTED OR GUARANTEED".

IF THIS ORDER IS FOR A USED VEHICLE, THE INFORMATION YOU SEE ON THE (FEDERAL TRADE COMMISSION) WINDOW FORM IS PART OF THIS CONTRACT. INFORMATION ON THE WINDOW FOR OVERRIDES ANY CONTRARY PROVISIONS IN THE CONTRACT OF SALE.

This page comprises the entire agreement affecting the purchase and no other agreement or understanding of any nature concerning same has been made or entered into, or will be recognized. I hereby certify that no credit has been extended to me for the purchase of this motor vehicle except as appears in writing on the face of this agreement. I certify that I am of legal age, and hereby acknowledge receipt of a copy of this order.

AUTHORIZED SIGNATURE	DATE	ACCEPTED BY:	09/21/2020
		911 FLEET & FIRE AUTHORIZED REPRESENTATIVE	



911 Fleet & Fire Equipment
 11 Lendale Drive, Florence KY 41042
 877-605-2378 • 859-371-0131 Fax

SOLD & TITLED TO: 09/21/2020

City of Cheviot Fire

DATE

3814 Harrison Avenue

PURCHASER'S NAME

STREET ADDRESS

Cheviot

Ohio

45211

CITY

STATE

ZIP

Chief Robert Klein

(513) 661-2700

CONTACT

BUS. PHONE

PLEASE ENTER MY ORDER FOR THE FOLLOWING VEHICLE

YEAR 2020

MAKE Ford

MODEL OR SERIES

F-450, 4x4

BODY TYPE

Ambulance

COLOR

White

TRIM

V.I.N.

NTO

TO BE DELIVERED ON OR ABOUT

ASAP

SALESMAN

Mitsch

STOCK NO.

513723

CASH PRICE OF UNIT

Ford 2020 F-450, 4x4, XLT, 6.7L, 193"WB

\$205,745.00

F.O.B. FACTORY OR DESINATION:

FORD GPC AMOUNT: (\$4,800.00)

GPC Number: QV705

(\$4,800.00)

Wheeled Coach/911 COVID Discount

(\$2,000.00)

Pricing includes Inverter, Styrker Floor Plate, and Graphics

Cheviot FD to Deliver

MSO/TITLE TO BE FILLED OUT AS FOLLOWS:

SEND MSO/TITLE TO:

PHONE:

USED VEHICLE TRADE-IN AND /OR OTHER CREDITS

MAKE OF TRADE-IN

YEAR

MODEL

BODY

V.I.N.

BALANCE OWED TO:

ADDRESS

USED TRADE-IN ALLOWANCE

BALANCE OWED ON TRADE-IN

NET ALLOWANCE ON USED TRADE-IN

\$0.00

CREDITS

DOWN PAYMENT (Trans. to Right Col.)

\$0.00

CASH SALE PRICE OF DESCRIBED MOTOR VEHICLE:

\$198,945.00

STATE AND LOCAL TAXES

LICENSE, LICENSE TRANSFER, TITLE REGISTRATION FEE

1. TOTAL PRICE OF THE UNIT

\$198,945.00


2. DOWN PAYMENT:

Consisting of \$ - In cash

And/or \$ 0.00 Net trade in

Allowance on trade-in; see statement in

Left hand column for details.



\$0.00

3. UNPAID CASH BALANCE DUE ON DELIVERY (difference between items 1 and 2)

\$198,945.00

ALL WARRANTIES, IF ANY, BY A MANUFACTURER OR SUPPLIER OTHER THAN 911 FLEET & FIRE ARE THEIRS, NOT 911 FLEET & FIRE, AND ONLY SUCH MANUFACTURER OR SUPPLIER SHALL BE LIABLE FOR PERFORMANCE UNDER SUCH WARRANTIES, UNLESS 911 FLEET & FIRE FURNISHES BUYER WITH A SEPARATE WRITTEN WARRANTY OR SERVICE CONTRACT MADE BY 911 FLEET & FIRE ON ITS BEHALF, 911 FLEET & FIRE HEREBY DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY IMPLIED WARRANTIES OF MERCHANTABILITY OF FITNESS FOR A PARTICULAR PURPOSE: (A) ON ALL GOODS AND SERVICES SOLD BY 911 FLEET & FIRE, AND (B) ON ALL USED VEHICLES WHICH ARE HEREBY SOLD "AS IS - NOT EXPRESSLY WARRANTED OR GUARANTEED". IF THIS ORDER IS FOR A USED VEHICLE, THE INFORMATION YOU SEE ON THE (FEDERAL TRADE COMMISSION) WINDOW FORM IS PART OF THIS CONTRACT. INFORMATION ON THE WINDOW FOR OVERRIDES ANY CONTRARY PROVISIONS IN THE CONTRACT OF SALE.

This page comprises the entire agreement affecting the purchase and no other agreement or understanding of any nature concerning same has been made or entered into, or will be recognized. I hereby certify that no credit has been extended to me for the purchase of this motor vehicle except as appears in writing on the face of this agreement. I certify that I am of legal age, and hereby acknowledge receipt of a copy of this order.


ACCEPTED BY:

09/21/2020

AUTHORIZED SIGNATURE

DATE

911 FLEET & FIRE AUTHORIZED REPRESENTATIVE



Wheeled Coach®

REV GROUP

City of Cheviot Fire
 Robert Klein
 3814 Harrison Ave
 Cheviot, Ohio 45211
 513-661-2958
 bklein@cheviot.org



Exp. Date: 06/17/2020
Quote No: REV02 091820-0006
Job/Order No: 513723
T1 - 170: 210160 STD Model: Type 1 Ford - 170"Module - #1170F
T1 - 170: 0990030STL Ford, F-450,193"WB,4x4, XLT,170", #1170F
T1 - 170: 200011 STD Type 1 Ford - 170" Module - #1170F

09/21/2020 16:24:58

WO#: 513723

Page 1

PART NO	S	DESCRIPTION	QTY	ID
		== Ford, F-450,193"WB,4x4, XLT,170", #1170F - 621.021 04/07/20 ==	1	WC
		CHASSIS:	1	WC
00-10-4037	< >	Ford 2020 F-450, 4x4, XLT, 6.7L, 193"WB 2020-2	1	WC
		193" wheelbase		
		Autothrottle OEM Ford		
		Alternator OEM Ford		
		Mirrors, OEM, Heated/Remote		
		Cab seats OEM Captains chairs(no armrests)		
		New for 2020- Sync 3		
		-Enhanced voice recognition communication and entertainment system		
		- 8" LCD Capacitive Touchscreen in center stack w/swipe Capability		
		- Pinch to Zoom capability		
		-AppLink		
		- 911 assist		
		- Apple carPlay and Andriod Auto		
		- Smart-charging USB-C Ports (2)		

PART NO	S	DESCRIPTION	QTY	ID
00-91-0000		Domestic Chassis	1	WC
		CONVERSION	1	WC
05-00-0200	<	Conversion, BOM, Type 1, 170 Module, F450 4x4 20-1 Includes Liquid Spring Rear Suspension	1	WC
		CAB TO MODULE MOUNTING:	1	WC
10-10-1001	< >	Bellows, Passthru, Unigrip, F1 2008+, Std With Aluminum cab insert.	1	WC
		CHASSIS ADD-ONS:	1	WC
1A-10-0050	< >	Wheeled Coach Stainless Grille Logo, with reflective backing Red reflective behind cut out.	1	WC
1F-30-7551	<	Rear Suspension - Liquid Spring- 2017+ F450, 4x4 Dump Feature activated by the Left rear access door. Override switch to be on right rear entry door on top left of interior lower panel. Ignition switch Hot. Per KKK, the rear suspension shall only lower the module when the vehicle is in park and the parking brake is set.	1	WC
2F-71-7103		Cab Flooring, Black Rubber, 2009+, F350/450, OEM	1	WC
		HEATING/AIR CONDITIONING:	1	WC
5U-12-5000	>	Hoses, Heater, No Max, to Rear, STD	1	WC
5U-70-0123	< >	Heat/AC, F1, 2011+, Combo, w/Coolbar , DAK Ducted with Master Control Digital thermostat CM50000 ILOS in action area standard location 12vdc External Condenser, in Coolbar mounted on front of module. Painted to match front of module.	1	WC
5U-81-1005		Gen III Fiberglass Cool Bar cover	1	WC
5U-90-1165	< >	Heat/Air Conditioner Located Center over WT/PT, ILOS HVAC evaporator relocated to front bulkhead above the pass thru	1	WC

PART NO	S	DESCRIPTION	QTY	ID
5U-92-1000	<	Master Control Digital Thermostat CM5000, ILOS in action area standard location	1	WC
		BATTERY SWITCHES:	1	WC
60-22-1030	<	Battery Sw, 5min Timer, F1, Fig 5B, Batt under Hood Activated thru OEM ignition switch timer function upon ignition "off". Momentary rocker switch, on driver's side of cab console, to function as timer shutoff and also reactivate timer. (2) OEM batteries under hood ONLY Module power is turned on/off. Chassis power is NOT turned off.	1	WC
		CONSOLES:	1	WC
7U-10-0602	<	Console, Center, Pass-thru, Mica Finish, F1, CN11 Per Eng design. Std style console with IATS (2) cup holders and map storage at rear.	1	WC
7U-10-7000		Console, A/A, Wood, Angled	1	WC
		BULKHEAD CABINET:	1	WC
TF-50-0600	< >	Bulkhead, Unigrip, Pass Thru, 153/170x72 Eng Note: HVAC above Pass Thru ILOS	1	WC
		WHEELCOVERS:	1	WC
X5-10-3901	<	Covers, Wheel, Phoenix, F450, 4X2/4x4, 1153/1170 with Air Max Valve Extenders, std	1	WC
		== Type 1 Ford - 170" Module - #1170F - 621.021 04/07/20 ==	1	WC
00-05-0100	<	This unit built in accordance with KKK-A1822-F CN 10 This unit as specified meets all requirements of KKK-A1822-F Change notice 10. All cabinets shall be labeled as to their capacity Rating.	1	WC
35-05-0055		Type 1 - 170" Module - Standard Model Series	1	WC

PART NO	S	DESCRIPTION	QTY	ID
35-05-0060		Type 1 - 170" Module General Body Construction Spec	1	WC
35-05-0065		Type 1 - 170" Module Vehicle Body Structure Spec	1	WC
35-05-2000	<	INTERIOR CABINETS -Duralite Construction, Wood, CN10 compliant All cabinets shall be labeled with their Rated Weight Capacity.	1	WC
		MODULE BODIES:	1	WC
35-10-0068	<	Aisle Space, 50 inches, STD, Type 1, Std Model Only (49-50" actual) Requires stainless steel wheelwell covers attached to squad bench and basewall cabts that will protrude up to 1.5" into aisleway on each side. With Black Poly Urea on Curbside and Rear Thresholds	1	WC
35-10-0320	>	Module Skins, 0.125 inch	1	WC
35-10-0502		Headroom, 72 in. Type 1 - 170" module, #1170F/D	1	WC
35-11-0300	>	Drop Skirt, 6 inches forward of rear wheels, Both sides	1	WC
37-00-0350	<	Coating, Polyurethane, Per compartment (1) Each light gray "A", "B1", "B2", "D", "E", "F"	6	WC
37-00-0360		Coating, Polyurethane, Rear Bumper Supports	1	WC
37-00-0425	< >	Compartments, .125 Aluminum ILOS Machine stamped louvers located above the floor line for venting.	1	WC
37-00-0500	< >	Compartments, Std, Floor 3" Drop Down from Door Opening compts B1,B2,D,& E are STD drop down floor	4	WC
37-00-0600	< >	Compartments, Sweepout - Compartments "A" & "F" are standard sweep out	2	WC
37-00-0710	<	Duraseam Doors, with Hidden Jambs - Magnetic door switches, Standard	1	WC

PART NO	S	DESCRIPTION	QTY	ID
39-A0-0377		A, Compt, Single Door, Hoseline, 170" Module, 72" HR, #1170F/D	1	WC
39-B1-0155		B1, Compt, Std, 170" Module, 72" HR, #1170F/D	1	WC
39-B2-0177		B2, Compt, Std, 170" Module, 72"H.R, #1170F/D	1	WC
39-D0-0355	<	D, Compt, 3/4, 170" Module, 72" H.R, #1170F/D With Single Door	1	WC
39-E0-0105	<	E, Compt, Std, 170" Module, #1170F/D With Double Doors Recessed Suction	1	WC
39-F0-0305		F, Compt, Std, Full Height, 170" Module, 72" H.R, #1170F/D	1	WC
39-F0-0600	< >	With Dogleg for Stairchair in Compt "F" to Fit a Stryker 6252 or FW EZ Glide stair chairs	1	WC
		FUEL FILL HOUSING:	1	WC
3A-10-1000	>	Housing, Fuel Fill, Cast, F1/C1/D1/M2	1	WC
		EXTERIOR DIVIDERS:	1	WC
3F-10-1101	<	Divider, Vertical, B2, 3/16" Thick, Recessed Adj Track, Std Model only compt "B2", centered.	1	WC
		SHELF- COMPARTMENT "A"/RF CABINET:	1	WC
3F-20-1000	< >	Shelf, Adjustable, (1), RF Cabt Custom (1) RF Compt "A"/cabt "E2" area, centered.	1	WC
3F-20-1500	< >	Shelf, Additional, Adjustable, (1), RF Cab Custom RF Compt "A"/cabt "E3" area, centered.	1	WC
		SHELF- COMPARTMENT "D":	1	WC
3F-40-3001	< >	Shelf, Custom, Adj, Cmp "D", (1), Std Model only at bottom of cabt "H" inside/outside access opening	1	WC
		SHELF- COMPARTMENT "E":	1	WC
3F-50-0200	<	Shelf, Fixed, Cmp E, for Electrical storage, No Divider Eng Note No bio waste per work order	1	WC
		COMPARTMENT / SHELF, MISC:	1	WC
3F-70-0400	< >	Bracket, Stairchair Mount, State Location : Diamond plate box mounted to the door of Compt: D, per Eng design	1	WC

PART NO	S	DESCRIPTION	QTY	ID
		WINDOWS:	1	WC
3P-10-5201	>	Window,Upper,CS/Slider,Rr/Fixed,Priv Tint,PAN,Std Model only	1	WC
		MODULE ENTRY DOOR HANDLES:	1	WC
3U-30-8010		Handles, Patient Entry, Trimark, Chrome "SafePass" ILOS	1	WC
		EXTERIOR COMPT DOOR HANDLES:	1	WC
3U-40-0512	>	Handle, Module Compt, Trimark, Chrome, ILOS	6	WC
3U-40-0514	< >	Latch, Paddle, Trimark, For Trailing Door compts "E"	1	WC
3U-60-0100	>	ELECTRIC DOOR LOCK PACKAGE OPTIONS: Click to add	1	WC
3U-60-1390	< >	Door Locks,Electric, Trimark, (1)DOOR, Entry Door Module entry doors.	2	WC
3U-60-1400	< >	Door Locks,Electric, Trimark, (1)DOOR, Compt Door All module compts	6	WC
3U-60-1500	< >	Switch,Momentary Rocker,Activate Elect Door Locks Installed on C/S wall at head of S/B.	1	WC
3U-60-2500	< >	Switch, Stealth, Cab/Mod Doors In grille on passenger's side.	1	WC
3U-60-3000	>	Relay Control Circuit, Electric Locks	1	WC
3U-60-3002	< >	Intermotive CAN module for 2017+ Ford F-series Required for Electric Doors on F series.	1	WC
3U-60-5200	>	Circuit, OEM Door Lock to activate Mod Doors (Not Dodge)	1	WC
		DOOR HOLD OPENS:	1	WC
40-10-1611	< >	Hold Opens,Rr Doors,Cast,Grabber (2), 5.5", Std Model only - Installed so doors will open as wide as possible - Mount at Bottom of doors.	1	WC
40-10-7200		Hold Open, Gas Strut, Ext Compt, 30lb, Std	6	WC
40-10-7205		Hold Open, Gas Strut, RF Compt, 30lb, Std	1	WC

PART NO	S	DESCRIPTION	QTY	ID
40-10-7750	<	Holdopen, Gas Strut, CS Entry Door, 35# Standard. New Code Per ECN 1823	1	WC
DOOR PANELS:				
45-10-4520	< >	Panels, Entry, Durasafe, Stainless Steel, w/ Chevrons, Reflective Logo, STD	1	WC
		Aluminum Center Panels covered: white/red reflective tape Logo to be cut in the lower entry door panel with a reflective 3M material (to match the chevron on the lock box) attached to an aluminum panel behind the logo.	1	WC
FENDER FLARES:				
4A-10-1001		Flare, Fender, Rear, Black Rubber, Std Model only	1	WC
BUMPERS:				
4F-10-1101	<	Bumper,Rear,w/ Skids & Flip Up,F1/C1,w/LED DOT Its,Std Model	1	WC
		w/ Gator Grip on flip up step.		
RUNNING BOARDS:				
4K-10-2112		Running Boards, Standard, 2017+ F450, w/ Gator Grip, #1153F/1170F	1	WC
SKIRTRAILS				
4U-10-9250		Skirtrails,Extruded "C" channel (E-one Style) ILOS	1	WC
4U-10-93SR	X <	Lights, Skirtrail, Whelen Strip-Lite Led (3 each side) Red With Clear Lens SR #220540F Item# 1	6	
		SAP# 10821295		
		3 Whelen PSR01FCR Solo Strip-Lite LED on each side in the C Chanel Red with clear lens.		
		Primary only Flasher default flash		
4U-10-9500		Tape, Reflective, White, For Extruded Skirtrails	1	WC
STONE GUARDS (FRONT):				
4U-11-2000	<	Stone Guard, Front, Dia Plate, Type 1 & Ford Type 3 Eng Note Heads up 6" Drop Skirt forward of rear wheels	1	WC

PART NO	S	DESCRIPTION	QTY	ID
		KICKPLATES (w/STD. REAR STONEGUARDS)	1	WC
50-10-0A05	S <	Kickplate, Under-Ride Bumper, w/ Tag recess and (2) 700 series lights Cut outs for (2) 700 Series Lights	1	WC
55-10-3050	<	Holder, License Plate, Cast, for Underride Bumper - in rear kick plate, centered Includes (2) Whelen OS LED lights	1	WC
		SILL PROTECTORS	1	WC
55-30-4001		Sill Protectors, Stainless, All Compts, Std Model only	1	WC
		MODULE STEPWELL:	1	WC
55-90-6000		Stepwell, Double Step, ILOS, Type 1	1	WC
55-90-6100		Thresholds, Stainless Steel, Painted with Black Poly-urea coating- Standard	1	WC
		MUD FLAPS:	1	WC
5A-10-1001		Mud Flaps, Rear, W/Logo, Std Model only	1	WC
		PAINT/BELTS:	1	WC
5F-10-0800	< >	Paint, OEM White Sikkens Crossover Codes Ford white: FA91:YZ	1	WC
5F-10-4801	<	Paint, Belt, None, Std Model only Cab & Module, all white, std.	1	WC
		DECAL PACKAGES INSTALLED:	1	WC
5P-10-5001		Roof Star, White Border, Installed, Std Model Only	1	WC
		ELECTRICAL SYSTEM: Circuitboard	1	WC
		COAX CABLES/ANTENNAS:	1	WC
65-10-3001	< >	Coax Cable, RG58/U, (1), Additional, Std Model only Dome #7 to behind the passenger seat with 6' pigtailed	1	WC
65-30-1000	< >	Coax Cable, RG58/U, (1) Each, Standard, Terminate: Dome #6 to behind passenger seat with 6' pigtailed	1	WC
		12VDC POWER SOURCES & OUTLETS:	1	WC
6A-22-200E	< >	Outlet, Cigar Lighter, STD, (2), A/A wired constant hot	1	WC
6A-22-2500	< >	Outlet, Cigar Lighter, IATS, (1) wired constant hot. RF Cabinet E2 wall 2 upper right next to 110V outlet	1	WC

PART NO	S	DESCRIPTION	QTY	ID
6A-22-5200	<	Outlet, Kussmaul, USB Dual Port, 5VDC, 3 Amp output, switch panel location ILOS. Located in the cab switch panel per Electrical Engineering Ignition Hot	1	WC
6A-22-5200	<	Outlet, Kussmaul, USB Dual Port, 5VDC, 3 Amp output, switch panel location Located in the Action area Outlet panel . Ignition Hot.	1	WC
POWER SOURCE, 12 VDC			1	WC
6A-23-0910	<	Power Source, 12VDC, 20A, Ignition/Shoreline Hot 20amp 12 volt DC circuit ran to two locations, (1) pre-wire coil and tagged in action area (1) pre-wire coil and tagged behind driver's seat.	1	WC
6A-23-1201	< >	Power Source, 12 VDC, 15 Amp (+-), Std Model only Ignition hot, terminating in cab console with 6 foot tails (hot and ground).	1	WC
6A-23-3001	< >	Power Source, 12 VDC, 30 Amp (+-), Std Model only Constant Hot, to terminate behind the passenger seat with 6 foot tails (hot and ground).	1	WC
ELECTRICAL ACCESSORIES			1	WC
6E-10-4454	< >	Camera, Backup, Brigade, (1) Color LCD Monitor Mount camera exterior on rear of module, off center toward driver's side. Mount monitor: in place of rear-view mirror. Approx 7" x 4 in.	1	WC
6E-10-4460	<	Mirror Mount for Monitor. Replaces OEM Rear View Mirror, Ford or Chev Camera Monitor Mounting Arm for Ford Windshield Mount, Model STSDF1011. The monitor will mount to the windshield ILO the rear view mirror.	1	WC
SHORELINE INLETS:			1	WC
6F-90-4101	< >	Super Auto Eject, 20 amp, ILOS, White, Std Model Only with white cover; mounted above compartment "E"	1	WC

PART NO	S	DESCRIPTION	QTY	ID
125 VAC OUTLETS:			1	WC
6K-40-1000	<	Outlet, 125 VAC, Duplex, (2), STD - (1) outlet in action area - (1) outlet in the RF Cabinet "E2", wall #2, upper right.	1	WC
6K-40-2000	< >	Outlet, 125 VAC, Duplex, IATS telemetry area, wall #2, near wall 1, down low	1	WC
INVERTERS:			1	WC
7F-10-9000	< >	Inverter/Charger, Vanner 20-1050CUL-DC - Mounted on fixed shelf or ceiling in Compartment "E"	1	WC
PREWIRES:			1	WC
7P-10-1005	<	Prewire, Stock, Wires Only, for "Std Model" Units INCLUDES: fog lights, wigwag, & block heater	1	WC
7P-40-5000	< >	Prewire, Opticom, In Drive Gear End at center light position in cool bar.	1	WC
7P-50-4500	< >	Prewire, Inverter Vanner 1000 TUL/CUL, Plug In Terminate in Compartment "E" on Fixed Shelf	1	WC
GAUGES/METERS:			1	WC
D0-10-1200		Meter, Analog, Volts, F1	1	WC
D0-10-6500	<	Alarm, Low Voltage, Audio/Visual Light in cab console and Buzzer in cab.	1	WC
SIREN SPEAKERS:			1	WC
DF-10-1243	<	Siren Speakers, Cast SAD/PSAD3827-20FSD-1, F-Series 2020, Std Thru Front Bumper	1	WC
SIRENS:			1	WC
DK-10-1400	>	Siren, Whelen, WS-295-SLSA1, Standard	1	WC
SWITCHING OPTIONS FOR AIR HORNS & SIRENS:			1	WC
DP-11-1000		Switch, Siren/Horn Thru Horn Ring	1	WC
AUDIBLE ALARMS:			1	WC
F0-11-3501		Alarm, Back-Up, Auto Reset, Std Model only	1	WC
VEHICLE EXTERIOR LIGHTING			1	WC
FF-10-6001	< >	Cab Headliner Removal Fee, Type 1/3 for back up camera monitor install	1	WC
WHELEN FLANGES FOR 9E SERIES LIGHTS			1	WC

PART NO	S	DESCRIPTION	QTY	ID
FU-38-0100		Flange, Super 9L, #90FLANGC, (1) Each	15	WC
		WHELEN SUPER LED 9L FLASHING LIGHTS	1	WC
		T1,3,9:		
FU-40-0105	< >	Light, 9L, Super LED, Whelen, Red,Clear Lens,ILOS, 90RR5FCR (4) 2 each on side standard location (2) on rear in upper outer corners (2) on front in upper outer corners Pri/Sec internal, comet flash	8	WC
FU-40-0107	< >	Light, 9L, Super LED, Whelen, Red,Clear Lens,IATS, 90RR5FCR (2) forward facing on cool bar (2) Angled section of cool bar Pri only internal flash, comet flash	4	WC
FU-40-0110	< >	Light, 9L, Super LED, Whelen,Amber,Clear Lens,ILOS, 90AA5FCR (1) On Rear Center location Pri/Sec internal flash, comet flash	1	WC
		WHELEN ION WARNING LIGHTS	1	WC
H4-11-1010	<	Light, Whelen, ION, WIONSMCR, Red w/chrome flange, ILOS (2) Upper Grille (2) Front Intersectors Prim only internal flash comet flash eng note the 4 grille lights will flash in X pattern	4	WC
H4-11-1011	<	Light, Whelen, ION, WIONSMCR, Red w/chrome flange, IATS (2) Lower Grille Prim only internal flash comet flash Eng note the 4 grille lights will use an X flash pattern.	2	WC
		WHELEN SUPER LED 7L LIGHTS	1	WC
		W/FLASHERS:		
H5-58-0320	< >	Light, 7L, Super LED, Whelen, Red, Clear Lens, ILOS,70R02FCR (2) 1 centered above each rear wheel	2	WC

PART NO	S	DESCRIPTION	QTY	ID
		Prim only internal flash comet flash		
H5-58-0325	< >	Light, 7L, Super LED, Whelen, Red, Clear Lens, IATS,70R02FCR (2) in rear kickplate, centered (1) under Rear Kickplate Streetside Stop/Turn/Reverse (1) under Rear Kickplate Curbside Stop/Turn/Reverse	2	WC
		Prim only internal flash, comet flash		
H5-58-0370	< >	Light, 7L, Super LED, Whelen, Clear LED, ILOS, 70C02FCR (1) on front center location high. Above where 7"x3" light would be installed, if added at a later date Prim only internal flash, comet flash	1	WC
		WHELEN FLANGES 7 SERIES LIGHTS	1	WC
H5-59-1000	<	Flange, Whelen, For 7E lights (1), Mods - For 7 Series Lights	5	WC
		CORNER CAP LIGHTS	1	WC
HF-11-6049	<	Corner Cap Lts,Multi-LED,(2)Amber(2)Red w/Flashers,Std Model - High intensity flashers; thru separate switch	1	WC
		CLEARANCE LIGHTS:	1	WC
HF-12-9100	<	Light, Clearance, Amber LED, ILOS On front as clearance lights	3	WC
HF-12-9601	<	Light, Clearance, Red LED, Std Model only - On rear as clearance lights.	3	WC
		SCENE AND LOAD LIGHTS	1	WC
HK-20-110M	<	Light, LED, Whelen, Clear, #9SC0ENZR, 24 LED, ILOS, (1) W/ Chrome Flange (2) each side as scene lights	4	WC
HK-20-130M	<	Light, LED, Whelen, Clear, #9SC0ENZR, 24 LED, ILOS, (1) W/ Chrome Flange (2) on rear as load lights	2	WC

PART NO	S	DESCRIPTION	QTY	ID
HK-20-7400	< >	Rear Scene Lts Activate W/Rev Gear. Side rearmost scene lights wired to reverse gear. Rear load lights wired to reverse standard.	1	WC
		HARNES LAYOUT:	1	WC
J5-12-1000		Halogen, " E " Spec, Whelen	1	WC
		STOP/TURN/TAIL LIGHTS:	1	WC
JA-13-8012	<	Tailights, Whelen, LED Stop/Tail, Turn & LED Backup, w/ WC logo, ILOS - Brake- alert flash before Steady Burn - Turn Arrow – sequential arrow - Replace backup with 700 LED	1	WC
		MODULE OVERHEAD HEADLINER:	1	WC
JK-10-6516	< >	Headliner, Flat, PVC, w/Hinged trough cover, 160"+ MAV/Ty1, DAK Plenums w/8 Ducts The headliner shall include the two plenums that run from the HVAC system to the eight 3.5" ducts in the ceiling (4 per plenum).	1	WC
		12VDC INTERIOR LIGHTING:	1	WC
JP-10-0611	<	Lights, Dome, LED, Whelen, White Fling, (4) S/S, (3) C/S, ILOS NOTE: NO VISABLE FASTENERS OR HOLES.	1	WC
JP-10-0621	<	Light, Dome, LED, Whelen, White Fling, (1) IATS Location over curbside entry door, step area NOTE: NO VISABLE FASTENERS OR HOLES. Switched with CS bank of dome lights	1	WC
JP-10-7015		Light, Stepwell, LED, Whelen #TOCACCCR, 2in, ILOS	1	WC
JP-10-8020		Light, Kinequip #621224W, LED, In A/A ILOS	1	WC
JP-11-4710	<	Lighting, LED, Recessed into Trough cover- White/Blue Single Three position switch in action area- OFF/Blue/white, Not activated by doors.	1	WC
		LIGHTS & MISCELLANEOUS:	1	WC
JR-50-1050		Handheld Spotlight - Sho-Me 200,000 CP	1	WC
JR-50-2700	< >	Lights, (2), 4in, LED, to Illum Running Boards, Constant Hot	1	WC

PART NO	S	DESCRIPTION	QTY	ID
		Activated with the cab doors.		
JR-50-2880	<	Lighting, Compt, LED Hi-Brite Flex, ILOS both vertical edges near door jambs and across top edge near door jambs, compts "A", "B1", "B2", "D", "E", & "F". 2" O2 light ILOS	1	WC
JR-50-2950		Light, LED, Compt, Whelen #TOCACCCR, 2in, ILOS	1	WC
JR-60-2003	< >	Timer, Momentary Sw, 15 Minute, Constant Hot, Std Model only	1	WC
		Mount switch on C/S wall at the head of the squad bench in the standard location. Switch to allow activation and also deactivation. Wire to StreetSide dome lights on high.		
JR-70-0005	<	Light, in Circuit Board Area, for Electrical Troubleshooting - with integral switch; wired constant hot.	1	WC
		CLOCKS:	1	WC
L0-10-2550	< >	Clock, Intellitec, Installed recessed over rear entry doors	1	WC
		SUCTION PUMPS:	1	WC
LP-10-0500		Suction Pump, Standard	1	WC
		INSULATION:	1	WC
LU-10-3001	< >	Insulation, Severe Weather Package one inch block foam in modular walls and roof covered with reflective insulation. Under Floor to be Spray Foam insulated after the production assembly process is complete by 24/7. All edges of reflective insulation on walls and ceiling must be taped, std.	1	WC
		GRABRAIL(S)/GRABHANDLES:	1	WC
N0-10-9106	<	Grabrail, Overhead, 96.5", Handicap Style, Yellow, Std Model only - Yellow Powder Coat Finish	1	WC
N0-10-9703	<	Handrails, (3), Custom "L" Shape, 1", Yellow, Entry Drs, Std Model	1	WC

PART NO	S	DESCRIPTION	QTY	ID
		- Yellow Powder Coat Finish Stainless Steel Grab Handles		
		O2 CYLINDER RACKS:	1	WC
NA-10-3550	<	Rack, Multiversal, #QR-MV, W/ Straps	1	WC
		For M or H Tank in LF Compt		
NA-10-6502		Track, Unistrut for Oxygen Rack -Standard per ECN	1	WC
		ELECTRIC O2 W/BYPASS:	1	WC
NK-52-4000	< >	O2 Sys, LF, 2-AA Elec,1-VAC Port,1-C/S, 1-Liner	1	WC
		ohio style electric switch w/bypass in action area (2) oxygen outlets in action area (1) vacuum port in Recessed area (1) oxygen outlet in liner at head of cot, (Liner lct. O22) (1) oxygen outlet cs wall at head of squad bench		
		O2 SYSTEM PARTS:	1	WC
P0-59-1000	>	Oxygen Gauge High Pressure, From Left Front to A/A	1	WC
P0-59-7500		Regulator, Oxygen Cylinder, Preset 50PSI, Installed	1	WC
		SUCTION CONTAINERS:	1	WC
PA-10-7003	< >	Regulator/Holder, SSCOR 23002 with Canister clip-CN 10 Compliant Conforms to J3043 requirements (Recessed)	1	WC
		COT MOUNTS:	1	WC
PF-26-3450	<	Stryker Power/Performance Load- Structure plates & Wiring for Future Install	1	WC
		Additional floor structure for future installation of a Stryker #6390 Power-LOAD system or 6392 Performance Load. Includes pre-wire which will terminate under the module head of cot.		
PF-35-9003	<	Cut Floor and Install Cot Mount Floorplate, 6390-700-001A For Powerload or Performance Load Cot mounts.	1	WC

PART NO	S	DESCRIPTION	QTY	ID
PF-36-0001		Center Mount	1	WC
		IV HOOKS:	1	WC
PP-20-8500	< >	IV Hook, Cast, Fold Down Recessed, ILOS	2	WC
		(1) IV1-CS		
		(1) IV1-SS		
		MISC. INSTALLED HARDWARE/EQUIPMENT	1	WC
R5-10-8000	< >	Wrench, Oxygen, Tethered, Mods	1	WC
		in oxygen compt.		
R5-11-2010	<	Net, Squad Saver, at Head of Squad Bench, 2" Straps, Black	1	WC
		attached to floor at head of squad bench, CS wall and overhead liner with removable latches.		
R5-11-5710	<	Seatbelt, Assy, (4 Point), Per4Max, Black, (1) Each - CN-8 Above the Lid installation	3	WC
		(1) for CPR side seat		
		(2) for squad bench		
R5-11-5810		Restrain Belts, Squad Bench (3) Standard	1	WC
		STRAPS, INSTALLED:	1	WC
RK-13-3500	<	Seat Belt, Across Compt Opening	2	WC
		(1) B2 Compartment mid height		
		(1) on compt door D for the stairchair bracket		
		MODULE INTERIOR	1	WC
RU-05-0000		Interior Cabinets - Duralite Construction, Wood -CN 10 Compliant	1	WC
		MICA COLOR:	1	WC
RU-10-3001		Mica, Light Gray Gloss, Std Model only	1	WC
		SUB FLOORING:	1	WC
RZ-99-0300	< >	Floor, Interior, Non Wood, Type 1, ILOS	1	WC
		Flag for Engineer / Production NON Wood Floor		
		FLOORING:	1	WC
T0-11-8201		Flooring, Lonplate II, Gunpowder Grey #424TX, Std Model only	1	WC
		SEAMLESS 1880 COMFORT CHILD SAFETY SEATS:	1	WC

PART NO	S	DESCRIPTION	QTY	ID
T5-10-0110		> Seat, Attendant, EVS 1880, Child safety, Comfort, Gunmetal, Per4Max Belt-Black	1	WC
T5-11-4750		Attendant's Seat Base, EVS Swivel 2 Pos	1	WC
		SEAMLESS UPHOLSTERY:	1	WC
T5-25-1500		Uph, Smless, Gunmetal,W/Bio,No Post & Wheel	1	WC
		CUSHIONS:	1	WC
T5-40-2106		> Upholstery, Backrest Cushion, EVS, Gunmetal, w/ WC Logo	3	WC
		O2 DOOR:	1	WC
TK-10-5000		> Lexan Flap W/Hinge	1	WC
		GLOVE HOLDERS:	1	WC
TN-20-1001		< > Cabinet, Glove Box Holder,(3),Above C/S door, Std Model only	1	WC
		Must use M1 latches for KKK Change notice 10 compliance	10	
		RIGHT FRONT CABINET:	1	WC
TU-20-14SR	X <	RF Cabinet,, W/O Healthguard Custom ILOS	1	
		SR#220531F Item# 2		
		SAP# 10508832		
		the Heat/AC Unit has been moved over the pass through ILOS.		
		"E1" top inside access only with CN 10 Gray Slider included under this BOM.		
		"E2" inside/outside access double doors.		
		"E3" inside/outside access double doors.		
TU-20-15SR	X <	Shelf in Cabinet "E1" SR #330531F Item# 3	1	
		install shelf centered inside top cabinet "E1"		
		RF CABINET DOORS W/COMBO A/C	1	WC
TU-20-7D00	<	Door,Dual Gray, Gen II OHO Poly Carbonate,RF Cabt (1) "E2" (1) "E3"	2	WC

PART NO	S	DESCRIPTION	QTY	ID
		HARDWARE,LATCHES AND LOCKS:	1	WC
V0-14-2075	< >	Latch, Southco M1, 2IN S/S, (3/4" door) Non-Locking, (1), CN 10 -Rated at 10lbs (1) L1 cabinet door (1) bio/waste	2	WC
V0-14-2078	< >	Latch, Southco M1, 2IN S/S, (3/8" Door) Non-Locking, (1), CN 10 -Rated at 10lbs (1) R1 (1) R2 (1) GB cabt above CS Entry Door (1) K2 cabt above CPR Seat	4	WC
		SQUAD BENCH:	1	WC
V5-20-3802	>	Squad Bench, Bio-Waste @ Head, 170", Std Model only	1	WC
		LID 170 INCH BOX:	1	WC
V5-64-1501	<	Lid, Squad Bench, Single W/Bio-Waste, 170", Std Model only Must use M1 latch for CN 10 on Biowaste door	1	WC
		HARDWARE:	1	WC
V5-80-1005		Handle, Trimark, Squad Bench, STD	1	WC
V5-82-2500		Strut, Gas, 60 LB, Installed, ILOS, Mods	1	WC
		CURBSIDE SPLINT CABINET 160-170 inch Module	1	WC
VA-40-4530	< >	CS Splint,7in Deep,2 Sect,Gray Lexan Flapglass, 170 Module Note: TO meet KKK requirement for space between cushion on squad bench and bottom of splint cabt. Gray Lexan Flap glass with Spring hinge Must use (1) M1 latches on each door for CN 10 certification	1	WC
		CURBSIDE REAR CABINET:	1	WC
VF-20-4700		Cabinet,Curbside Rear,Standard,170",72"HR	1	WC
		CABINET H, BASEWALL 170", T1/T3	1	WC
VH-H2-0300		H, Cabinet, Inside/ Outside Access	1	WC
		CABINET I, BASEWALL 170", T1/T3	1	WC
VH-I2-0400		I, Cabinet, Deleted	1	WC
		CABINET M, BASEWALL 160" & 170", T1/T9	1	WC
VH-M2-0300		M, Cabinet, deleted	1	WC
		CABINET O, BASEWALL 160-170", T1/T3	1	WC

PART NO	S	DESCRIPTION	QTY	ID
VH-O1-0100		O, Cabinet, full height, std CABINET CPR, BASEWALL, 149"-170", T1 & T3	1 1	WC WC
VH-Q0-0101		CPR, side seat, Std Model only	1	WC
VH-Q0-0301	<	CPR, side seat, flip up lid, Std Model only With Trimark Latch	1	WC
VH-R1-0105	<	"U" Barrier Bar, Padded, 6 7/8 x 7 1/2, 1.5 inch SS, CPR Seat, Gunmetal Mounted at the front of the CPR side seat vertically in line with the Padded head cushion on the "L" cabinets.	1	WC
		CABINET J, STREETSIDE UPPER 170", T1/T:	1	WC
VI-J2-0150	>	J, Cabinet, Combined with K	1	WC
VI-K2-0100	X <	K2, Cabinet, w/ CPR seat Note: To meet 43" minimum KKK requirement for space between cushion on Side seat and bottom of splint cabinet. 3/8 flip up gray lexan door. SAP# 10180271	1	
		CABINET L, STREETSIDE UPPER 160-170", T1/T3	1	WC
VI-L1-0356		L,Cabts,L1 in Angled Area,L2 std,Full F,72"HR,Std Model only	1	WC
		BASEWALL DOORS:	1	WC
VK-15-4020		Cab H, Gray Polycarbonite Slider- CN 10 Compliant	1	WC
VK-16-5020		Cab O, Gray Polycarbonite Slider - CN 10 Compliant	1	WC
		TELEMETRY AREA WORK SURFACE	1	WC
VP-10-5461		Telemetry Tray, Poured, Gray	1	WC
		ACTION AREA WORK SURFACE	1	WC
VP-10-5918	< >	A/A Tray, 160"-170",W/O Bio,Poured, Gray, MAV/1170F/1170D It will be necessary for the right end of poured tray to be cut off. There will be no raised ledge on right end of poured tray. Caulk/sealant to be applied.	1	WC
		ACTION AREA 165/170 INCH BOX:	1	WC
VP-15-7020	<	Cab,A/A, No Biowaste, w/ Recessed Suction, 170" Type 1 Recessed suction in aisle facing cabinet face under action area tray.	1	WC
VU-14-4000	< >	Shelf, Interior, Adj, in Cabinet: (1) J/K Combined	3	WC

PART NO	S	DESCRIPTION	QTY	ID	
		(1) L2			
		(1) O			
VU-14-4001	< >	Shelf Track, Cabt, #HA24663, Upgrade, Std Model only (1) J/K Combined (1) L2 (1) O	3	WC	
VU-15-1850		Cab "J/K" Combined, Restocking Gray Polycarbonate Slider -CN 10 Compliant	1	WC	
VU-15-9000	< >	Cab "L1" Wood Door hinged on right.	1	WC	
VU-16-3050		Cab "L2" Restocking Gray Polycarbonate Slider -CN 10 Compliant	1	WC	
		SHIP LOOSE ITEMS:	1	WC	
YY-00-0001	>	Bracket, Spare Tire Mounting, Ship Loose	1	WC	
YY-10-6400		Ship Loose, W.C. Standard Items	1	WC	
YY-12-1000	<	Fire Extinguisher. (1) 5Lb. Abc, Ship Loose, IATS HD Amerex Bracket #861H with Amerex 5LB fire extinguisher.	1	WC	
YY-13-3000	>	Spare Tire, OEM only, Ship Loose	1	WC	
		WARRANTIES	1	WC	
ZZ-10-0101		Warranty, Conversion, 12 Month	1	WC	
ZZ-10-0201		Warranty, Paint, 60 month Prorated, Standard	1	WC	
ZZ-10-0350		Warranty, Structural, 20 Years, Std., Mods	1	WC	
ZZ-10-0601		Warranty, Limited Electrical	1	WC	
ZZ-10-0701		Warranty, Cabinet Construction	1	WC	
ZZ-ZZ-0200	>	End Of Order	1	WC	
		Total			0.00